



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

6/23/2022

Phone: (856) 840-8800
Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 6/10/2022. The results are tabulated on the attached data pages for the following client designated project:

22-411 Egg Harbor - Miller School

The reference number for these samples is EMSL Order #012209125. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.
NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012209125
 CustomerID: TTIE54
 CustomerPO: 034933
 ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/3/2022 11:20 AM

Project: 22-411 Egg Harbor - Miller School

Analytical Results

Client Sample Description 1 MES-SF-KIT-2 KITCHEN **Collected:** 6/3/2022 4:03:00 PM **Lab ID:** 012209125-0001

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	6.43	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:16

Client Sample Description 2 MES-SF-KIT-3 KITCHEN **Collected:** 6/3/2022 4:03:00 PM **Lab ID:** 012209125-0002

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	679 D	10.0 µg/L	6/16/2022 VD	6/17/2022 JW 18:23

Client Sample Description 3 MES-SF-KIT-4 KITCHEN **Collected:** 6/3/2022 4:04:00 PM **Lab ID:** 012209125-0003

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	228 D	5.00 µg/L	6/16/2022 VD	6/17/2022 JW 18:26

Client Sample Description 4 MES-SF-KIT-5 KITCHEN **Collected:** 6/3/2022 4:05:00 AM **Lab ID:** 012209125-0004

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	43.0	1.00 µg/L	6/16/2022 VD	6/17/2022 JW 17:55

Client Sample Description 5 MES-SF-KIT-6 KITCHEN **Collected:** 6/3/2022 4:05:00 AM **Lab ID:** 012209125-0005

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:18

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 012209125

CustomerID: TTIE54

CustomerPO: 034933

ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/3/2022 11:20 AM

Project: 22-411 Egg Harbor - Miller School

Analytical Results

Client Sample Description 6 MES-SF-KIT-7 KITCHEN **Collected:** 6/3/2022 4:06:00 AM **Lab ID:** 012209125-0006

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND D	10.0 µg/L	6/20/2022 VD	6/21/2022 JW 00:21

Client Sample Description 7 MES-WC-B100-8 B100 WING **Collected:** 6/3/2022 4:07:00 AM **Lab ID:** 012209125-0007

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND D	5.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:23

Client Sample Description 8 MES-WC-B100-9 B100 WING **Collected:** 6/3/2022 4:08:00 AM **Lab ID:** 012209125-0008

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:25

Client Sample Description 9 MES-WC-A100-11 A100 WING **Collected:** 6/3/2022 4:10:00 AM **Lab ID:** 012209125-0009

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:27

Client Sample Description 10 MES-WC-A100-11 A100 WING **Collected:** 6/3/2022 4:11:00 AM **Lab ID:** 012209125-0010

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:34

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012209125
 CustomerID: TTIE54
 CustomerPO: 034933
 ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/3/2022 11:20 AM

Project: 22-411 Egg Harbor - Miller School

Analytical Results

Client Sample Description 11MES-BF-A100-12 A100 WING **Collected:** 6/3/2022 4:12:00 AM **Lab ID:** 012209125-0011

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:36

Client Sample Description 12 MES-SF-40L-13 4th Grade Office Lounge **Collected:** 6/3/2022 4:14:00 AM **Lab ID:** 012209125-0012

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	9.95	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:43

Client Sample Description 13 MES-SF-NSE-14 Nurse **Collected:** 6/3/2022 4:15:00 AM **Lab ID:** 012209125-0013

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	4.50	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:46

Client Sample Description 14 MES-SF-50L-15 5th Grade Office Lounge **Collected:** 6/3/2022 4:17:00 AM **Lab ID:** 012209125-0014

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	4.49	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:48

Client Sample Description 15 MES-WC-D100-19 D100 WING **Collected:** 6/3/2022 4:20:00 PM **Lab ID:** 012209125-0015

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:50

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012209125
 CustomerID: TTIE54
 CustomerPO: 034933
 ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/3/2022 11:20 AM

Project: 22-411 Egg Harbor - Miller School

Analytical Results

Client Sample Description 16 MES-WC-D200-21 D200 WING **Collected:** 6/3/2022 4:21:00 PM **Lab ID:** 012209125-0016

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:52

Client Sample Description 17 MES-WC-D200-22 D200 WING **Collected:** 6/3/2022 4:21:00 PM **Lab ID:** 012209125-0017

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:55

Client Sample Description 18 MES-SF-FAC-23 Faculty Lounge **Collected:** 6/3/2022 4:22:00 PM **Lab ID:** 012209125-0018

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	10.7	1.00 µg/L	6/20/2022 VD	6/21/2022 JW 00:57

Client Sample Description 19 MES-WC-C200-24 C200 WING **Collected:** 6/3/2022 4:23:00 PM **Lab ID:** 012209125-0019

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:16

Client Sample Description 20 MES-WC-C200-25 C200 WING **Collected:** 6/3/2022 4:24:00 PM **Lab ID:** 012209125-0020

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:22

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012209125
 CustomerID: TTIE54
 CustomerPO: 034933
 ProjectID:

Attn: **Nathanael Roberts**
TTI Environmental Inc.
1253 North Church Street
Moorestown, NJ 08057

Phone: (856) 840-8800
 Fax: (856) 840-8815
 Received: 6/3/2022 11:20 AM

Project: 22-411 Egg Harbor - Miller School

Analytical Results

Client Sample Description 21 MES-SF-LIB-26 Library Office **Collected:** 6/3/2022 4:25:00 PM **Lab ID:** 012209125-0021

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	15.5	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:24

Client Sample Description 22 MES-WC-A200-27 A200 WING **Collected:** 6/3/2022 4:27:00 PM **Lab ID:** 012209125-0022

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:26

Client Sample Description 23 MES-WC-A200-28 A200 WING **Collected:** 6/3/2022 4:27:00 PM **Lab ID:** 012209125-0023

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:28

Client Sample Description 24 MES-WC-B200-29 B200 WING **Collected:** 6/3/2022 4:28:00 PM **Lab ID:** 012209125-0024

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:34

Client Sample Description 25 MES-WC-B200-30 B200 WING **Collected:** 6/3/2022 4:29:00 PM **Lab ID:** 012209125-0025

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	6/20/2022 VD	6/20/2022 JW 16:36



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>

EnvChemistry2@emsl.com

EMSL Order:	012209125
CustomerID:	TTIE54
CustomerPO:	034933
ProjectID:	

Definitions:

MDL - method detection limit

J - Result was below the reporting limit, but at or above the MDL

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)

D - Dilution Sample required a dilution which was used to calculate final results